INDEX TO

EXPERIMENTAL MECHANICS

VOLUME 16, 1976

SUBJECT INDEX

Accurate Measurement of Poisson's Ratio In Small Samples—C. G. Foster, 311-315 (Aug.).
Acoustic-emission Data, Application of a Microprocessor for Acquisition of Load, Strain and—G. H. Wilson and C. T. Herakovich, 111-115 (Mar.).
Acoustic-emission Fatigue Analyzer—J. M. Carlyle and W. R. Scott, 369-372 (Oct.).
Adhesive-fracture Mechanics, The Peel Test in Experimental—G. P. Anderson, K. L. DeVries and M. L. Williams, 11-15 (Jan.).
Analysis of Biaxial-fatigue Damage at Elevated Temperatures—S. Y. Zamrik and O. G. Bilir, 373-379 (Oct.).
Application of a Microprocessor for Acquisition of Load, Strain and Acoustic-emission Data—G. H. Wilson and C. T. Herakovich, 111-115 (Mar.).
Application of Ultrasonic-pulse-spectroscopy Measurements to Experimental Stress Analysis—J. Blinka and W. Sachse, 448-453 (Dec.).
Attenuation of Strain Waves in Core Samples of Three Types of Rock—W. L. Fourney, J. W. Dally and D. C. Holloway, 121-126 (April).

Bars Loaded in Bending, Experimentally Determined Stress-intensity Factors for Single-edge-crack Round—Arthur J. Bush, 249-257 (July).
Behavior of a Photoelastic Polyurethane at Elevated Temperatures, The—Halbert F. Brinson, 1-5 (Jan.).
Biaxial Testing and Strength of Coated Fabrics, On the—Hans W. Reinhardt, 71-74 (Feb.).
Birefringent Materials, Measurement of the Time-dependent Principal-strain Directions in—H. Schwieger and G. Bröker, 305-310 (Aug.).
Bridge, Three-span Composite, Fatigue Test of a—H. J. Salane, R. C. Duffield and R. P. McBean, 468-474 (Dec.).
Buckling of Cylindrical Shells Heated Along Two Opposite Generators Combined with Axial Compression—Y. Frum and M. Baruch, 133-139 (April).

Compensation Method Using Synchronized Polarizer-Analyzer Rotation—S. Redner, 221-225 (June).
Composite Materials, Critical Factors for Frequency-dependent Fatigue Processes in—W. W. Stinchcomb, K. L. Reinfsnider and R. S. Williams, 343-348 (Sept.).
Composite Plates by Holographic Interferometry, Measurements of Thermal Distortion of—T. R. Hsu and R. Lewak, 182-187 (May).
Composites, Effect of Axial Loads on Concrete-mortar Sandwich—M. K. Phang and H. Kraus, 356-360 (Sept.).
Crack-growth Resistance in Tantalum Foil—J. A. Alic, 380-382 (Oct.).
Crack Length Using Holographic Interferometry, A Study of Effective—T. D. Dudderar and E. M. Doerries, 300-304 (Aug.).
Cracks and Poisson's Ratio Upon Photoelastic Stress-intensity Determination, Effects of Artificial—C. W. Smith, J. J. McGowan and M. Jolles, 188-193 (May).
Critical Factors for Frequency-dependent Fatigue Processes in Composite Materials—W. W. Stinchcomb, K. L. Reifsnider and R. S. Williams, 343-348 (Sept.).
Cylinders That Have Been Plastically Deformed, Unloading of Thick-walled—O. M. Sidebottom, S. C. Chu and H. S. Lamba, 454-460 (Dec.).
Cylinders, Thick-walled, Finite-strain Pressure–Tension Loading of, Including Temperature Effects—S. C. Chu and O. M. Sidebottom, 401-408 (Nov.).
Cylindrical Shells Heated Along Two Opposite Generators Combined with Axial Compression, Buckling of—Y. Frum and M. Baruch, 133-139 (April).

Determination of the Critical-stress-intensity Factor K_{ic} from Internally Pressurized Thick-walled Vessels—R. J. Clifton, E. R. Simonson, A. H. Jones and S. J. Green, 233-238 (June).
Determination of the Refractive Index of a Photoelastic Specimen by Immersion Technique, The—A. Thomas, 479-480 (Dec.).
Displacement Measurements in the Interior of 3-D Bodies Using Scattered-light Speckle Patterns—D. B. Barker and M. E. Fourney, 209-214 (June).
Dynamic-finite-element and Dynamic-photoelastic Analyses of Two Fracturing Homalite-100 Plates—A. S. Kobayashi, A. F. Emery and S. Mall, 321-328 (Sept.).
Dynamic Modeling of Marine Boilers—J. N. C. Wu and G. W. Roman, 140-145 (April).
Dynamic Photoelastic Analysis of Dynamic-tear-test Specimen, A—A. S. Kobayashi and C. F. Chan, 176-181 (May).
Dynamic Photoelastic Study of Stress-wave Propagation Through an Inclusion, A—J. H. Hemann, J. D. Achenbach and S. J. Fang, 291-299 (Aug.).
Dynamics Testing, Structural, for, Simulation of Random Environments—D. D. Styles and C. J. Dodds, 416-424 (Nov.).
Dynamic-tear-test Specimen, A Dynamic Photoelastic Analysis of—A. S. Kobayashi and C. F. Chan, 176-181 (May).

Effect of Axial Loads on Concrete-mortar Sandwich Composites—M. K. Phang and H. Kraus, 356-360 (Sept.).
Effects of Artificial Cracks and Poisson's Ratio Upon Photoelastic Stress-intensity Determination—C. W. Smith, J. J. McGowan and M. Jolles, 188-193 (May).
Elastic-Plastic Stress Analysis of Large Axisymmetrically Deflected Shallow Thin Shells of Revolution—C. A. Hansen and W. Soedel, 41-45 (Feb.).
Elimination of Accidental Reference-grating Rotations in Moiré Strain Analysis—C. G. Foster, 276-278 (July).
Epoxy Mixture, Low-temperature-curing—Prem Saran Nigam, 267-269 (July).
Equidensometry Applied to Photoelasticity—C. L. Mehrotra and M. L. Meyer, 383-388 (Oct.).
Estimating Fatigue-crack Lives for Aircraft: Techniques—Joseph P. Gallagher, 425-433 (Nov.).
Experimentally Determined Stress-intensity Factors for Single-edge-crack Round Bars Loaded in Bending—Arthur J. Bush, 249-257 (July).

Fatigue Analyzer, Acoustic-emission—J. M. Carlyle and W. R. Scott, 369-372 (Oct.).
Fatigue, Biaxial, Damage at Elevated Temperatures, Analysis of—S. Y. Zamrik and O. G. Bilir, 373-379 (Oct.).
Fatigue-crack Lives, for Aircraft: Estimating Techniques—Joseph P. Gallagher, 425-433 (Nov.).
Fatigue-crack Propagation in Metals—J. C. Radon and L. E. Culver, 105-110 (Mar.).
Fatigue Processes in Composite Materials, Critical Factors for Frequency-dependent—W. W. Stinchcomb, K. L. Reifsnider and R. S. Williams, 343-348 (Sept.).
Fatigue Test of a Three-span Composite Bridge—H. J. Salane, R. C. Duffield and R. P. McBean, 468-474 (Dec.).
Fatigue Tests of Anodized Aluminum Rods, Torsional—E. F. Womack, J. H. Wilson and H. H. Mabie, 361-368 (Oct.).
Finite-element Analysis of Creep and Plasticity Tensile-test Specimens—Bruce R. Dewey, 16-20 (Jan.).
Finite-element Analysis of Rectangular Plates with Rectangular Inserts—Shaukat Mirza, 392-396 (Oct.).
Finite-element, Dynamic, and Dynamic-photoelastic Analyses of Two Fracturing Homalite-100 Plates—A. S. Kobayashi, A. F. Emery and S. Mall, 321-328 (Sept.).
Finite-element Solutions for Thermal Stresses in Steel–Concrete Composite Bridges—C. Berwanger and Y. Symko, 168-175 (May).
Finite-strain Pressure–Tension Loading of Thick-walled Cylinders Including Temperature Effects—S. C. Chu and O. M. Sidebottom, 401-408 (Nov.).
Fixation Plate without Screws, A Fracture-compression—H. G. Edeland, L. Sonnerup, B. Niklasson and E. Persson, 61-65 (Feb.).
Fracture-compression Fixation Plate without Screws, A—H. G. Edeland, L. Sonnerup, B. Niklasson and E. Persson, 61-65 (Feb.).
Fracture-toughness Testing of Limestone—Richard A. Schmidt, 161-167 (May).
Fringe-compensation Technique for Stress Analysis by Reflection Holographic Interferometry, A—P. M. deLarminat and R. P. Wei, 241-248 (July).

Gears, Photoelastic Optimization of the Profiles of Wildhaber-Novikov—K. Lingaiah and K. Ramachandra, 116-120 (Mar.).

High-temperature Test Facility for Repeated Pressure Loading of Cylinders—J. D. Vasilakis, J. E. Zweig and R. R. Lasselle, 270-272 (July).
Holographic Interferometry, A Fringe-compensation Technique for Stress Analysis by Reflection—P. M. deLarminat and R. P. Wei, 241-248 (July).
Holographic Interferometry, Material Properties Using—M. D. Meyer and H. A. Spetzler, 434-438 (Nov.).
Holographic-moiré Technique to Obtain Separate Patterns for Components of Displacement, A—C. A. Sciammarella and J. A. Gilbert, 215-220 (June).
Holographic Photoelasticity: Determination of Absolute Retardations by a Single Hologram—A. Ajovalasit and A. Bardi, 273-275 (July).

Image-transfer and Optical Technique for Residual-strain Measurement—R. Henschel and I. Berman, 49-55 (Feb.).
Immersion Technique, The Determination of the Refractive Index of a Photoelastic Specimen by—A. Thomas, 479-480 (Dec.).
Impact Experiment, The Oblique-plate—A. S. Abou-Sayed, R. J. Clifton and L. Hermann, 127-132 (April).
Impact on Ophthalmic Lenses—W. Goldsmith and R. L. Taylor, 81-87 (Mar.).
Improving Strain-measurement Accuracy When Using Shunt Calibrations—Robert W. Troke, 397-400 (Oct.).
Interpretation of Isoclinics in Photo-orthotropic-elasticity, The—R. Prabhakaran, 6-10 (Jan.).
Isoclinics in Photo-orthotropic-elasticity, The Interpretation of—R. Prabhakaran, 6-10 (Jan.).
Isodensitometry in the Moiré Technique, A New Application of—H. Schwieger and H. H. Plath, 258-262 (July).

Lap-shear Test, The Symmetric—What Good Is It?—W. James Renton, 409-415 (Nov.).
Lenses, Ophthalmic, Impact on—W. Goldsmith and R. L. Taylor, 81-87 (Mar.).
Loading of Cylinders, High-temperature Test Facility for Repeated Pressure—J. D. Vasilakis, J. E. Zweig and R. R. Lasselle, 270-272 (July).
Low-temperature-curing Epoxy Mixture—Prem Saran Nigam, 267-269 (July).

Magnetoelastic Buckling: Theory vs. Experiment—J. M. Dalrymple, M. O. Peach and G. L. Viegelahn, 26-32 (Jan.).
Material Properties Using Holographic Interferometry—M. D. Meyer and H. A. Spetzler, 434-438 (Nov.).
Measurement of Elastic-Plastic Stresses by Scattered-light Photomechanics—Robert L. Johnson, 201-208 (June).
Measurement of the Time-dependent Principal-strain Directions in Birefringent Materials—H. Schwieger and G. Bröker, 305-310 (Aug.).
Measurements for Years at 75°C in Air, Strain-gage-stability—H. S. Freynik and G. R. Dittbenner, 155-160 (April).
Measurements of Thermal Distortion of Composite Plates by Holographic Interferometry—T. R. Hsu and R. Lewak, 182-187 (May).
Mechanics of Sheet Metal Formed by Hydraulic Pressure into Axisymmetrical Shells—T. C. Hsu and H. M. Shang, 337-342 (Sept.).
Model Design and Fabrication for Stress Analysis in Multilaminar Composites—R. W. Aderholdt and D. G. Berghaus, 32-37 (Jan.).
Modeling of Marine Boilers, Dynamic—J. N. C. Wu and G. W. Roman, 140-145 (April).
Modified Hole-drilling Technique for Determining Residual Stresses in Thin Plates, A—A. M. Nawwar, K. McLachlan and J. Shewchuk, 226-232 (June).
Moiré Strain Analysis, Elimination of Accidental Reference-grating Rotations in—C. G. Foster, 276-278 (July).
Multilaminar Composites, Model Design and Fabrication for Stress Analysis in—R. W. Aderholdt and D. G. Berghaus, 32-37 (Jan.).

New Application of Isodensitometry in the Moiré Technique, A—H. Schwieger and H. H. Plath, 258-262 (July).
New Compensation Method in Photoelasticity—Jan Cernosek, 263-266 (July).

Oblique-plate Impact Experiment, The—A. S. Abou-Sayed, R. J. Clifton and L. Hermann, 127-132 (April).
On the Role of Material and Optical Properties in Complete Photoelastic Analysis—V. J. Parks and R. J. Sanford, 441-447 (Dec.).
Optical Technique for Residual-strain Measurement, Image-transfer and—R. Henschel and I. Berman, 49-55 (Feb.).

Peel Test in Experimental Adhesive-fracture Mechanics, The—G. P. Anderson, K. L. DeVries and M. L. Williams, 11-15 (Jan.).
Photoelastic Analysis, On the Role of Material and Optical Properties in Complete—V. J. Parks and R. J. Sanford, 441-447 (Dec.).
Photoelastic Investigation of a Shrink-fit Problem—K. Lingaiah and G. Gargesa, 75-80 (Feb.).
Photoelastic Modeling of Stresses Caused by Thermal Shock—Christian P. Burger, 95-99 (Mar.).
Photoelastic Optimization of the Profiles of Wildhaber-Novikov Gears—K. Lingaiah and K. Ramachandra, 116-120 (Mar.).
Photoelastic Polyurethane at Elevated Temperatures, The Behavior of a—Halbert F. Brinson, 1-5 (Jan.).
Photoelastic Study of Stress-wave Propagation Through an Inclusion, A Dynamic—J. H. Hemann, J. D. Achenbach and S. J. Fang, 291-299 (Aug.).
Photoelasticity, Equidensometry Applied to—C. L. Mehrotra and M. L. Meyer, 383-388 (Oct.).
Photoelasticity, New Compensation Method in—Jan Cernosek, 263-266 (July).
Photoelasticity, Shock-front Loading Method for Studies in Dynamic—A. W. Miles, 349-355 (Sept.).
Photomechanics, Measurement of Elastic-Plastic Stresses by Scattered-light—Robert L. Johnson, 201-208 (June).
Plastic Type Units, The Strength of Hard-metal-plated—Y. Hiraoka and A. Tago, 194-199 (May).
Plate, an Annular, Under Uniform Compression, Stability and Behavior of—A. Rosen and A. Libai, 461-467 (Dec.).
Plates, A Modified Hole-drilling Technique for Determining Residual Stresses in Thin—A. M. Nawwar, K. McLachlan and J. Shewchuk, 226-232 (June).
Plates, Postbuckling and Postyielding of Edge-compressed Circular—A. N. Sherbourne and H. M. Haydl, 100-104 (Mar.).
Plates with Rectangular Inserts, Finite-element Analysis of Rectangular—Shaukat Mirza, 392-396 (Oct.).
Poisson's Ratio In Small Samples, Accurate Measurement of—C. G. Foster, 311-315 (Aug.).
Polarizer-Analyzer Rotation, Compensation Method Using Synchronized—S. Redner, 221-225 (June).
Postbuckling and Postyielding of Edge-compressed Circular Plates—A. N. Sherbourne and H. M. Haydl, 100-104 (Mar.).
Pressure Due to High-velocity Impact of a Water Jet—D. G. Smith and R. Kinslow, 21-26 (Jan.).

Residual Stresses in Thick Electrodeposits of a Nickel-Cobalt Alloy—J. W. Dini, G. A. Benedetti and H. R. Johnson, 56-61 (Feb.).
Resistance Strain Gages as Physiological Transducers, on Trees—R. L. Whipple, J. B. Ligon, C. P. Burger and M. S. Coffman, 329-336 (Sept.).
Rock, Attenuation of Strain Waves in Core Samples of Three Types of—W. L. Fourney, J. W. Dally and D. C. Holloway, 121-126 (April).

Shells, Mechanics of Sheet Metal Formed by Hydraulic Pressure into Axisymmetrical—T. C. Hsu and H. M. Shang, 337-342 (Sept.).
Shells of Revolution, Elastic-Plastic Stress Analysis of Large Axisymmetrically Deflected Shallow Thin—C. A. Hansen and W. Soedel, 41-45 (Feb.).
Shells, Vibrations and Buckling of Eccentrically Loaded Stiffened Cylindrical—A. Rosen and J. Singer, 88-94 (Mar.).
Shock-front Loading Method for Studies in Dynamic Photoelasticity—A. W. Miles, 349-355 (Sept.).
Shrink-fit Problem, Photoelastic Investigation of a—K. Lingaiah and G. Gargesa, 75-80 (Feb.).
Shunt Calibrations, Improving Strain-measurement Accuracy When Using—Robert W. Troke, 397-400 (Oct.).
Simulation of Random Environments for Structural Dynamics Testing—D. D. Styles and C. J. Dodds, 416-424 (Nov.).
Slipline Wax—J. Danckert and T. Wanheim, 318-320 (Aug.).
Soil Compaction, The Use of Models in the Study of Stresses During—P. A. Drakatos, 475-478 (Dec.).
Speckle Patterns, Displacement Measurements in the Interior of 3-D Bodies Using Scattered-light—D. B. Barker and M. E. Fourney, 209-214 (June).
Stability and Behavior of an Annular Plate Under Uniform Compression—A. Rosen and A. Libai, 461-467 (Dec.).
Stereophotographic Study of Impact on Beams and Frames—Pavel Novak, 66-70 (Feb.).
Strain-gage Measurement, Transverse-sensitivity Errors in—K. E. Machin and Y. E. Hassan, 38-40 (Jan.).
Strain Gages as Physiological Transducers on Trees, Resistance—R. L. Whipple, J. B. Ligon, C. P. Burger and M. S. Coffman, 329-336 (Sept.).
Strain-gage-stability Measurements for Years at 75°C in Air—H. S. Freynik and G. R. Dittbenner, 155-160 (April).
Strain-rate Effects During Reverse Torsional Shear—A. M. Eleiche and J. D. Campbell, 281-290 (Aug.).
Strength of Hard-metal-plated Plastic Type Units, The—Y. Hiraoka and A. Tago, 194-199 (May).
Stresses Caused by Thermal Shock, Photoelastic Modeling of—Christian P. Burger, 95-99 (Mar.).
Stresses During Soil Compaction, The Use of Models in the Study of—P. A. Drakatos, 475-478 (Dec.).
Stresses, Residual, in Thick Electrodeposits of a Nickel-Cobalt Alloy—J. W. Dini, G. A. Benedetti and H. R. Johnson, 56-61 (Feb.).
Stress-intensity Factor, Critical, K_{Ic} from Internally Pressurized Thick-walled Vessels, Determination of the—R. J. Clifton, E. R. Simonson, A. H. Jones and S. J. Green, 233-238 (June).
Study of Effective Crack Length Using Holographic Interferometry, A—T. D. Dudderar and E. M. Doerries, 300-304 (Aug.).
Symmetric Lap-shear Test, The—What Good Is It?—W. James Renton, 409-415 (Nov.).

Tensile-test Specimens, Finite-element Analysis of Creep and Plasticity—Bruce R. Dewey, 16-21 (Jan.).
Thermal Stresses in Steel-Concrete Composite Bridges, Finite-element Solutions for—C. Berwanger and Y. Symko, 168-175 (May).
Torsional Fatigue Tests of Anodized Aluminum Rods—E. F. Womack, J. H. Wilson and H. H. Mabie, 361-368 (Oct.).
Torsional Shear, Reverse, Strain-rate Effects During—A. M. Eleiche and J. D. Campbell, 281-290 (Aug.).
Transverse-sensitivity Errors in Strain-gage Measurement—K. E. Machin and Y. E. Hassan, 38-40 (Jan.).

Ultrasonic-pulse-spectroscopy, Application of, Measurements to Experimental Stress Analysis—J. Blinka and W. Sachse, 448-453 (Dec.).
Unloading of Thick-walled Cylinders That Have Been Plastically Deformed—O. M. Sidebottom, S. C. Chu and H. S. Lamba, 454-460 (Dec.).
Use of Models in the Study of Stresses During Soil Compaction, The—P. A. Drakatos, 475-478 (Dec.).

Vibrations and Buckling of Eccentrically Loaded Stiffened Cylindrical Shells—A. Rosen and J. Singer, 88-94 (Mar.).

Wax, Slipline—J. Danckert and T. Wanheim, 318-320 (Aug.).

AUTHOR INDEX

Abou-Sayed, A. S.—The Oblique-plate Impact Experiment, 127-132 (April).
Achenbach, J. D.—A Dynamic Photoelastic Study of Stress-wave Propagation Through an Inclusion, 291-299 (Aug.).
Aderholdt, R. W.—Model Design and Fabrication for Stress Analysis in Multilaminar Composites, 32-37 (Jan.).
Ajovalasit, A.—Holographic Photoelasticity: Determination of Absolute Retardations by a Single Hologram, 273-275 (July).
Alic, J. A.—Crack-growth Resistance in Tantalum Foil, 380-382 (Oct.).
Anderson, G. P.—The Peel Test in Experimental Adhesive-fracture Mechanics, 11-15 (Jan.).

Bardi, A.—Holographic Photoelasticity: Determination of Absolute Retardations by a Single Hologram, 273-275 (July).
Barker, D. B.—Displacement Measurements in the Interior of 3-D Bodies Using Scattered-light Speckle Patterns, 209-214 (June).
Baruch, M.—Buckling of Cylindrical Shells Heated Along Two Opposite Generators Combined with Axial Compression, 133-139 (April).
Baruch, Menahem—Discussion of "Transfer of Hydrostatic Loading From One Boundary to Another," 240 (June).
Benedetti, G. A.—Residual Stresses in Thick Electro-deposits of a Nickel-Cobalt Alloy, 56-60 (Feb.).
Berghaus, D. G.—Model Design and Fabrication for Stress Analysis in Multilaminar Composites, 32-37 (Jan.).
Berman, I.—Image-transfer and Optical Technique for Residual-strain Measurement, 49-55 (Feb.).
Berwanger, C.—Finite-element Solutions for Thermal Stresses in Steel-Concrete Composite Bridges, 168-175 (May).
Bilir, O. G.—Analysis of Biaxial-fatigue Damage at Elevated Temperatures, 373-379 (Oct.).
Blinka, J.—Application of Ultrasonic-pulse-spectroscopy Measurements to Experimental Stress Analysis, 448-453 (Dec.).
Brinson, Halbert F.—The Behavior of a Photoelastic Polyurethane at Elevated Temperatures, 1-5 (Jan.).
Bröker, G.—Measurement of the Time-dependent Principal-strain Directions in Birefringent Materials, 305-310 (Aug.).
Burger, Christian P.—Photoelastic Modeling of Stresses Caused by Thermal Shock, 95-99 (Mar.).
Burger, C. P.—Resistance Strain Gages as Physiological Transducers on Trees, 329-336 (Sept.).
Bush, Arthur J.—Experimentally Determined Stress-intensity Factors for Single-edge-crack Round Bars Loaded in Bending, 249-257 (July).

Campbell, J. D.—Strain-rate Effects During Reverse Torsional Shear, 281-290 (Aug.).
Carlyle, J. M.—Acoustic-emission Fatigue Analyzer, 369-372 (Oct.).
Case, Robert O.—Photomechanics—A "Problem Solver" for Litigation Claims, 19N-20N (June).
Cernosek, Jan—New Compensation Method in Photoelasticity, 263-266 (July).
Chan, C. F.—A Dynamic Photoelastic Analysis of Dynamic-tear-test Specimen, 176-181 (May).
Chu, S. C.—Finite-strain Pressure-Tension Loading of Thick-walled Cylinders Including Temperature Effects, 401-408 (Nov.).
Chu, S. C.—Unloading of Thick-walled Cylinders That Have Been Plastically Deformed, 454-460 (Dec.).
Clifton, R. J.—Determination of the Critical-stress-intensity Factor K_{Ic} from Internally Pressurized Thick-walled Vessels, 233-238 (June).
Clifton, R. J.—The Oblique-plate Impact Experiment, 127-132 (April).
Coffman, M. S.—Resistance Strain Gages as Physiological Transducers on Trees, 329-336 (Sept.).
Culver, L. E.—Fatigue-crack Propagation in Metals, 105-110 (Mar.).

Dally, J. W.—Attenuation of Strain Waves in Core Samples of Three Types of Rock, 121-126 (April).
Dalrymple, J. M.—Magnetoelastic Buckling: Theory vs. Experiment, 26-32 (Jan.).
Danckert, J.—Slipline Wax, 318-320 (Aug.).
deLarminat, P. M.—A Fringe-compensation Technique for Stress Analysis by Reflection Holographic Interferometry, 241-248 (July).
DeVries, K. L.—The Peel Test in Experimental Adhesive-fracture Mechanics, 11-15 (Jan.).
Dewey, Bruce R.—Discussion of, "Low-cycle Fatigue in Welds," 239 (June).
Dewey, Bruce R.—Finite-element Analysis of Creep and Plasticity Tensile-test Specimens, 16-21 (Jan.).
Dini, J. W.—Residual Stresses in Thick Electrodeposits of a Nickel-Cobalt Alloy, 56-60 (Feb.).
Dittbenner, G. R.—Strain-gage-stability Measurements for Years at 75°C in Air, 155-160 (April).
Dodds, C. J.—Simulation of Random Environments for Structural Dynamics Testing, 416-424 (Nov.).
Doerries, E. M.—A Study of Effective Crack Length Using Holographic Interferometry, 300-304 (Aug.).
Drakatos, P. A.—The Use of Models in the Study of Stresses During Soil Compaction, 475-478 (Dec.).
Dudderar, T. D.—A Study of Effective Crack Length Using Holographic Interferometry, 300-304 (Aug.).
Duffield, R. C.—Fatigue Test of a Three-span Composite Bridge, 468-474 (Dec.).
Durelli, A. J.—Discussion of "The Behavior of a Photoelastic Polyurethane at Ele-

vated Temperatures," 389-391 (Oct.).
DURELLI, A. J.—Discussion of "The Birefringent Response of a Potential Photoelastic Material with Variable Elastic Properties", 151 (April).
DURELLI, A. J.—Discussion of, "Photoelastic Analysis of Interlaminar Matrix Stresses in Fibrous Composite Models," 316-317 (Aug.).
DURELLI, AUGUST J.—Discussion of, "Wave Motion in Anisotropic Media by Dynamic Photomechanics," 200 (May).

EDELAND, H. G.—A Fracture-compression Fixation Plate without Screws, 61-65 (Feb.).
ELEICHE, A. M.—Strain-rate Effects During Reverse Torsional Shear, 281-290 (Aug.).
EMERY, A. F.—Dynamic-finite-element and Dynamic-photoelastic Analysis of Two Fracturing Homalite-100 Plates, 321-328 (Sept.).

FANG, S. J.—A Dynamic Photoelastic Study of Stress-wave Propagation Through an Inclusion, 291-299 (Aug.).
FOSTER, C. G.—Accurate Measurement of Poisson's Ratio In Small Samples, 311-315 (Aug.).
FOSTER, C. G.—Elimination of Accidental Reference-grating Rotations in Moiré Strain Analysis, 276-278 (July).
FOURNEY, M. E.—Displacement Measurements in the Interior of 3-D Bodies Using Scattered-light Speckle Patterns, 209-214 (June).
FOURNEY, W. L.—Attenuation of Strain Waves in Core Samples of Three Types of Rock, 121-126 (April).
FREYNIK, H. S.—Strain-gage-stability Measurements for Years at 75°C in Air, 155-160 (April).
FRUM, Y.—Buckling of Cylindrical Shells Heated Along Two Opposite Generators Combined with Axial Compression, 133-139 (April).

GALLAGHER, JOSEPH P.—Estimating Fatigue-crack Lives for Aircraft: Techniques, 425-433 (Nov.).
GARGESA, G.—Photoelastic Investigation of a Shrink-fit Problem, 75-80 (Feb.).
GÅSVIK, KJELL—Separation of the Isochromatics—Isopachics Patterns by Use of Retarders in Holographic Photoelasticity, 146-150 (April).
GILBERT, J. A.—A Holographic-moiré Technique to Obtain Separate Patterns for Components of Displacement, 215-220 (June).
GOLDSMITH, W. G.—Impact on Ophthalmic Lenses, 81-87 (Mar.).
GREEN, S. J.—Determination of the Critical-stress-intensity Factor K_{Ic} from Internally Pressurized Thick-walled Vessels, 233-238 (June).

HANSEN, C. A.—Elastic-Plastic Stress Analysis of Large Axisymmetrically Deflected Shallow Thin Shells of Revolution, 41-48 (Feb.).
HASSAN, Y. E.—Transverse-sensitivity Errors in Strain-gage Measurement, 38-40 (Jan.).
HAYDL, H. M.—Postbuckling and Postyielding of Edge-compressed Circular Plates, 100-104 (Mar.).
HEMANN, J. H.—A Dynamic Photoelastic Study of Stress-wave Propagation Through An Inclusion, 291-299 (Aug.).
HENSCHEL, R.—Image-transfer and Optical Technique for Residual-strain Measurement, 49-55 (Feb.).
HERAKOVICH, C. T.—Application of a Microprocessor for Acquisition of Load, Strain and Acoustic-emission Data, 111-115 (Mar.).
HERMANN, L.—The Oblique-plate Impact Experiment, 127-132 (April).
HIRAOKA, Y.—The Strength of Hard-metal-plated Plastic Type Units, 194-199 (May).
HOLLOWAY, D.C.—Attenuation of Strain Waves in Core Samples of Three Types of Rock, 121-126 (April).
HSU, T. C.—Mechanics of Sheet Metal Formed by Hydraulic Pressure into Axisymmetrical Shells, 337-342 (Sept.).
HSU, T. R.—Measurements of Thermal Distortion of Composite Plates by Holographic Interferometry, 182-187 (May).

JOHNSON, H. R.—Residual Stresses in Thick Electrodeposits of a Nickel-Cobalt Alloy, 56-60 (Feb.).
JOHNSON, ROBERT L.—Measurement of Elastic-Plastic Stresses by Scattered-light Photomechanics, 201-208 (June).
JOLLES, M.—Effects of Artificial Cracks and Poisson's Ratio Upon Photoelastic Stress-intensity Determination, 188-193 (May).
JONES, A. H.—Determination of the Critical-stress-intensity Factor K_{Ic} from Internally Pressurized Thick-walled Vessels, 233-238 (June).

KINSLOW, R.—Pressure Due to High-velocity Impact of a Water Jet, 21-26 (Jan.).
KOBAYASHI, A. S.—A Dynamic Photoelastic Analysis of Dynamic-tear-test Specimen, 176-181 (May).
KOBAYASHI, A.S.—Dynamic-finite-element and Dynamic-photoelastic Analysis of Two Fracturing Homalite-100 Plates, 321-328 (Sept.).
KOITER, W. T.—Discussion of, "Maximum Stress in a Tensile Strip with a Large Hole", 439-440 (Nov.).
KRAUS, H.—Effect of Axial Loads on Concrete-mortar Sandwich Composites, 356-360 (Sept.).

LAMBA, H. S.—Unloading of Thick-walled Cylinders That Have Been Plastically Deformed, 454-460 (Dec.).
LASSELLE, R. R.—High-temperature Test Facility for Repeated Pressure Loading of Cylinders, 270-272 (July).
LAURA, P. A. A.—Discussion of, "An Analytical and Experimental Study of Vibrating Equilateral Triangular Plates", 279-280 (July).
LEWAK, R.—Measurements of Thermal Distortion of Composite Plates by Holographic Interferometry, 182-187 (May).
LIBAI, A.—Stability and Behavior of an Annular Plate Under Uniform Compression, 461-467 (Dec.).
LIGON, J. B.—Resistance Strain Gages as Physiological Transducers on Trees, 329-336 (Sept.).
LINGAIAH, K.—Photoelastic Investigation of a Shrink-fit Problem, 75-80 (Feb.).
LINGAIAH, K.—Photoelastic Optimization of the Profiles of Wildhaber–Novikov Gears, 116-120 (Mar.).
LUISONI, L. E.—Discussion of, "An Analytical and Experimental Study of Vibrating Equilateral Triangular Plates", 279-280 (July).

MABIE, H. H.—Torsional Fatigue Tests of Anodized Aluminum Rods, 361-368 (Oct.).
MACHIN, K. E.—Transverse-sensitivity Errors in Strain-gage Measurement, 38-40 (Jan.).
MALL, S.—Dynamic-finite-element and Dynamic-photoelastic Analyses of Two Fracturing Homalite-100 Plates, 321-328 (Sept.).
MATHEWS, A.—Discussion of "Poisson's Ratio Variations in Concrete," 154 (April).
MCBEAN, R. P.—Fatigue Test of a Three-span Composite Bridge, 468-474 (Dec.).
MCGOWAN, J. J.—Effects of Artificial Cracks and Poisson's Ratio Upon Photoelastic Stress-Intensity Determination, 188-193 (May).
MCLACHLAN, K.—A Modified Hole-drilling Technique for Determining Residual Stresses in Thin Plates, 226-232 (June).
MEHROTRA, C. L.—Equidensometry Applied to Photoelasticity, 383-388 (Oct.).
MEYER, M. D.—Material Properties Using Holographic Interferometry, 434-438 (Nov.).
MEYER, M. L.—Equidensometry Applied to Photoelasticity, 383-388 (Oct.).
MILES, A. W.—Shock-front Loading Method for Studies in Dynamic Photoelasticity, 349-355 (Sept.).
MIRZA, SHAUKAT—Finite-element Analysis of Rectangular Plates with Rectangular Inserts, 392-396 (Oct.).

NAWWAR, A. M.—A Modified Hole-drilling Technique for Determining Residual Stresses in Thin Plates, 226-232 (June).
NIGAM, PREM SARAN—Low-temperature-curing Epoxy Mixture, 267-269 (July).
NIKLASSON, B.—A Fracture-compression Fixation Plate without Screws, 61-65 (Feb.).
NOVAK, PAVEL—Stereophotographic Study of Impact on Beams and Frames, 66-70 (Feb.).

PARKS, V. J.—Discussion of "The Behavior of a Photoelastic Polyurethane at Elevated Temperatures", 389-391 (Oct.).
PARKS, V. J.—On the Role of Material and Optical Properties in Complete Photoelastic Analysis, 441-447 (Dec.).
PEACH, M. O.—Magnetoelastic Buckling: Theory vs. Experiment, 26-32 (Jan.).
PERSSON, E.—A Fracture-compression Fixation Plate without Screws, 61-65 (Feb.).
PHANG, M. K.—Effect of Axial Loads on Concrete-mortar Sandwich Composites, 356-360 (Sept.).
PLATH, H. H.—A New Application of Isodensitometry in the Moiré Technique, 258-262 (July).
PRABHAKARAN, R.—The Interpretation of Isoclinics in Photo-orthotropic-elasticity, 6-10 (Jan.).

RADON, J. C.—Fatigue-crack Propagation in Metals, 105-110 (Mar.).
RAMACHANDRA, K.—Photoelastic Optimization of the Profiles of Wildhaber–Novikov Gears, 116-120 (Mar.).
REDNER, S.—Compensation Method Using Synchronized Polarizer–Analyzer Rotation, 221-225 (June).
REIFSNIDER, K. L.—Critical Factors for Frequency-dependent Fatigue Processes in Composite Materials, 343-348 (Sept.).
REINHARDT, HANS W.—On the Biaxial Testing and Strength of Coated Fabrics, 71-74 (Feb.).
RENTON, W. JAMES—The Symmetric Lap-shear Test—What Good Is It?, 409-415 (Nov.).
ROMAN, G. W.—Dynamic Modeling of Marine Boilers, 140-145 (April).
ROSEN, A.—Stability and Behavior of an Annular Plate Under Uniform Compression, 461-467 (Dec.).
ROSEN, A.—Vibrations and Buckling of Eccentrically Loaded Stiffened Cylindrical Shells, 88-94 (Mar.).

SACHSE, W.—Application of Ultrasonic-pulse-spectroscopy Measurements to Experimental Stress Analysis, 448-453 (Dec.).
SALANE, H. J.—Fatigue Test of a Three-span Composite Bridge, 468-474 (Dec.).
SANFORD, R. J.—On the Role of Material and Optical Properties in Complete Photoelastic Analysis, 441-447 (Dec.).
SCHMIDT, RICHARD A.—Fracture-toughness Testing of Limestone, 161-167 (May).
SCHWIEGER, H.—A New Application of Isodensitometry in the Moiré Technique, 258-262 (July).
SCHWIEGER, H.—Measurement of the Time-dependent Principal-strain Directions in Birefringent Materials, 305-310 (Aug.).
SCIAMMARELLA, C. A.—A Holographic-moiré Technique to Obtain Separate Patterns for Components of Displacement, 215-220 (June).
SCOTT, W. R.—Acoustic-emission Fatigue Analyzer, 369-372 (Oct.).
SHANG, H. M.—Mechanics of Sheet Metal Formed by Hydraulic Pressure into Axisymmetrical Shells, 337-342 (Sept.).
SHERBOURNE, A. N.—Postbuckling and Postyielding of Edge-compressed Circular Plates, 100-104 (Mar.).
SHEWCHUK, J.—A Modified Hole-drilling Technique for Determining Residual Stresses in Thin Plates, 226-232 (June).
SIDEBOTTOM, O. M.—Finite-strain Pressure–Tension Loading of Thick-walled Cylinders Including Temperature Effects, 401-408 (Nov.).
SIDEBOTTOM, O. M.—Unloading of Thick-walled Cylinders That Have Been Plastically Deformed, 454-460 (Dec.).
SIMONSON, E. R.—Determination of the Critical-stress-intensity Factor K_{Ic} from Internally Pressurized Thick-walled Vessels, 233-238 (June).
SINGER, J.—Vibrations and Buckling of Eccentrically Loaded Stiffened Cylindrical Shells, 88-94 (Mar.).
SMITH, C. W.—Effects of Artificial Cracks and Poisson's Ratio Upon Photoelastic Stress-intensity Determination, 188-193 (May).
SMITH, D. G.—Pressure Due to High-velocity Impact of a Water Jet, 21-26 (Jan.).
SOEDEL, W.—Elastic-Plastic Stress Analysis of Large Axisymmetrically Deflected Shallow Thin Shells of Revolution, 41-48 (Feb.).
SONNERUP, L.—A Fracture-compression Fixation Plate without Screws, 61-65 (Feb.).
SPETZLER, H.A.—Material Properties Using Holographic Interferometry, 434-438 (Nov.).
STINCHCOMB, W. W.—Critical Factors for Frequency-dependent Fatigue Processes in Composite Materials, 343-348 (Sept.).
STYLES, D. D.—Simulation of Random Environments for Structural Dynamics Testing, 416-424 (Nov.).
SYMKO, Y.—Finite-element Solutions for Thermal Stresses in Steel–Concrete Composite Bridges, 168-175 (May).

TAGO, A.—The Strength of Hard-metal-plated Plastic Type Units, 194-199 (May).
TAYLOR, R. L.—Impact on Ophthalmic Lenses, 81-87 (Mar.).
THOMAS, A.—The Determination of the Refractive Index of a Photoelastic Specimen by Immersion Technique, 479-480 (Dec.).
TROKE, ROBERT W.—Improving Strain-measurement Accuracy When Using Shunt Calibrations, 397-400 (Oct.).

VASILAKIS, J. D.—High-temperature Test Facility for Repeated Pressure Loading of Cylinders, 270-272 (July).
VIEGELAHN, G. L.—Magnetoelastic Buckling: Theory vs. Experiment, 26-32 (Jan.).

WAHL, A. M.—Discussion of, "Maximum Stress in a Tensile Strip with a Large Hole", 439-440 (Nov.).
WANHEIM, T.—Slipline Wax, 318-320 (Aug.).
WEI, R. P.—A Fringe-compensation Technique for Stress Analysis by Reflection Holographic Interferometry, 241-248 (July).
WHIPPLE, R. L.—Resistance Strain Gages as Physiological Transducers on Trees, 329-336 (Sept.).
WILLIAMS, M. L.—The Peel Test in Experimental Adhesive-fracture Mechanics, 11-15 (Jan.).
WILLIAMS, R. S.—Critical Factors for Frequency-dependent Fatigue Processes in Composite Materials, 343-348 (Sept.).
WILSON, G. H.—Application of a Microprocessor for Acquisition of Load, Strain and Acoustic-emission Data, 111-115 (Mar.).
WILSON, J. H.—Torsional Fatigue Tests of Anodized Aluminum Rods, 361-368 (Oct.).
WOMACK, E. F.—Torsional Fatigue Tests of Anodized Aluminum Rods, 361-368 (Oct.).
WU, J. N. C.—Dynamic Modeling of Marine Boilers, 140-145 (April).

ZAMRIK, S. Y.—Analysis of Biaxial-fatigue Damage at Elevated Temperatures, 373-379 (Oct.).
ZWEIG, J. E.—High-temperature Test Facility for Repeated Pressure Loading of Cylinders, 270-272 (July).